

DK-104857-UL

IEC SYSTEM FOR MUTUAL RECOGNITION OF TEST CERTIFICATES FOR ELECTRICAL EQUIPMENT (IECEE)

CB TEST CERTIFICATE

Product Power Adapter, AC Adapter, Travel Charger

Name and address of the applicant SHENZHEN TIANYIN ELECTRONICS CO.,LTD.

2-6 FL, BLDG 9, SANZHULI INDUSTRIAL PARK, SHUITIAN COMMUNITY SHIYAN SUBDISTRICT, BAO'AN DISTRICT

SHENZHEN, GUANGDONG 518108 CHINA

Name and address of the manufacturer SHENZHEN TIANYIN ELECTRONICS CO.,LTD.

2-6 FL, BLDG 9, SANZHULI INDUSTRIAL PARK, SHUITIAN COMMUNITY SHIYAN SUBDISTRICT, BAO'AN DISTRICT

SHENZHEN, GUANGDONG 518108 CHINA

Name and address of the factory SHENZHEN TIANYIN ELECTRONICS CO.,LTD.

2-6 FL, BLDG 9, SANZHULI INDUSTRIAL PARK, SHUITIAN Note: When more than one factory, please report on page 2 COMMUNITY SHIYAN SUBDISTRICT, BAO'AN DISTRICT

SHENZHEN, GUANGDONG 518108

CHINA

Additional Information on page 2

Ratings and principal characteristics Input: 100-240V~,50/60Hz, 0.4A

Output: 4.5-30.0Vdc 0.01-2.1A, 12.1W Max

(See test report for details)

Trademark / Brand (if any) None

Type of Customer's Testing Facility (CTF) Stage used

Model / Type Ref. TPA-157AxxxyyyNWzz, TPQ-236AxxxyyyNWzz

See Page 2

Additional information (if necessary may also be

reported on page 2)

Additional Information on page 2

A sample of the product was tested and found

to be in conformity with

IEC 62368-1:2018

As shown in the Test Report Ref. No. which forms part

of this Certificate

20SBCS09043 4161 issued on 2020-10-08

This CB Test Certificate is issued by the National Certification Body



Date: 2020-10-28

UL (US), 333 Pfingsten Rd IL 60062, Northbrook, USA

UL (Demko), Borupvang 5A DK-2750 Ballerup, DENMARK

UL (JP), Marunouchi Trust Tower Main Building 6F, 1-8-3 Marunouchi, Chiyoda-ku, Tokyo 100-0005, JAPAN

UL (CA), 7 Underwriters Road, Toronto, M1R 3B4 Ontario, CANADA

For full legal entity names see www.ul.com/ncbnames

Signature:

Jan-Erik Storgaard



DK-104857-UL

Model Details:

TPA-157AxxxyyyNWzz, TPQ-236AxxxyyyNWzz

xxx can be 045-300.

3 digits, indicates the output voltage in V after divided by 10. The minimum step is 0.1V. e.g.: 045 = 4.5V, 300 = 30.0V

yyy can be 001-210.

3 digits, indicates the output current in A after divided by 100. The minimum step is 0.01A.

e.g.: 001 =0.01A, 210 =2.10A

N can be U, B, V, S, K, A, C, M.

Indicates different plug type:

"U" means American/Japanese/Taiwan/Mexican plugs,

"V" means European plug,

"B" means Britain plug,

"K" means Korean plug,

"A" means Brazilian plug,

"C" means Chinese plug,

"S" means Australian plug,

"M" means Argentine plug.

zz can be 01-99 or blank.

For marketing purpose only

Additional Information:

Additionally evaluated to EN IEC 62368-1:2020/ A11:2020.

National Difference specified in the CB Test Report.

Additional information (if necessary)



UL (US), 333 Pfingsten Rd IL 60062, Northbrook, USA

UL (Demko), Borupvang 5A DK-2750 Ballerup, DENMARK

UL (JP), Marunouchi Trust Tower Main Building 6F, 1-8-3 Marunouchi, Chiyoda-ku, Tokyo 100-0005, JAPAN

UL (CA), 7 Underwriters Road, Toronto, M1R 3B4 Ontario, CANADA

For full legal entity names see www.ul.com/ncbnames

Date: 2020-10-28

Signature:

Jan-Erik Storgaard