

UL TYPE EXAMINATION CERTIFICATE

Low Voltage Directive 2014/35/EU

Certificate No.	E359706-A6207-4791014606
Page	1/7
Date of Issue	2023-11-27
Issued to	ZHEJIANG UNIVIEW TECHNOLOGIES CO LTD No. 369, Xietong Road, Xixing Sub-district, Binjiang District, Hangzhou City, 310051, Zhejiang Province, China
Manufacturer	ZHEJIANG UNIVIEW TECHNOLOGIES CO LTD No. 369, Xietong Road, Xixing Sub-district, Binjiang District, Hangzhou City, 310051, Zhejiang Province, China
Manufacturing site/location	Zhejiang Uniview System Technology Co., Ltd. No.1277 Qingfeng South Road (South) , Tongxiang Economic Development Zone , Tongxiang City, Jiaxing City, 314500, Zhejiang, China TDG Technology Co., Ltd. No. 1, Yatai Road, Nanhu district, Jiaxing, Zhejiang 314050, China TOP-TEK TECHNOLOGY(VIETNAM)CO., LTD. No.5, Street 7, VSIP II, Hoa Phu Ward, TDM Town, Binh Duong Province, Vietnam
Product Sample Description Designation	IP Camera (1): IPC2321ERa-xxxxxxxx-yyy-yyyyy-zzzz

Jie Qian

Operation Leader

Jie Qian

This is to certify that the sample(s) of the Product described herein has/have been investigated and found to have been in compliance with the above mentioned Standard(s) issued by the European Committee for Electrotechnical Standardization (CENELEC) in accordance with the UL Type Examination Certificate Program Requirements.

As stated in Article 6 of Directive 2014/35/EU, "When placing their electrical equipment on the market, manufacturers shall ensure that it has been designed and manufactured in accordance with the safety objectives referred to in Article 3 and set out in Annex I" and "Manufacturers shall draw up the technical documentation referred to in Annex III and carry out the conformity assessment procedure referred to in Annex III or have it carried out". This remains the responsibility of the manufacturer and is not covered as part of this certificate.

This certificate and test results obtained apply only to the product sample(s) submitted by the Applicant. UL did not select the sample(s) or determine whether the sample(s) provided were representative of other manufactured products. UL has not established Follow-Up Service or other surveillance of the product. The Applicant/ Manufacturer are solely and fully responsible for any declaration of ongoing conformity of all products to all applicable Standard(s), specifications or requirements. The test results may not be used, in whole or in part, in any other document without UL's prior written approval.

UL-CCIC Company Ltd. Suzhou Branch

No. 2, Chengwan Road, Suzhou Industrial Park, Suzhou 215122, China



UL TYPE EXAMINATION CERTIFICATE

Low Voltage Directive 2014/35/EU

Certificate No. E359706-A6207-4791014606
Page 2/7
Date of Issue 2023-11-27

IPC2322ERa-xxxxxxxx-yyyyyyyy-zzzz
IPC2321E-xxxxxxxx-yyyyyyyy-zzzz
IPC2322E-xxxxxxxx-yyyyyyyy-zzzz
IPC2321EBRa-xxxxxxxx-yyyyyyyy-zzzz
IPC2322EBRa-xxxxxxxx-yyyyyyyy-zzzz
IPC2324EBRa-xxxxxxxx-yyyyyyyy-zzzz
HIC2301ES-xxxxxxxxIRa-yyyyyyyy-zzzz
HIC2301E-xxxxxxxxIRa-yyyyyyyy-zzzz
HIC2301E-xxxxxxxx-yyyyyyyy-zzzz
HIC2321ES-xxxxxxxxIRa-yyyyyyyy-zzzz
HIC2321E-xxxxxxxxIRa-yyyyyyyy-zzzz
HIC2321E-xxxxxxxx-yyyyyyyy-zzzz
IPC2222SRa-xxxxxxxx-yyyyyyyy-zzzz
IPC2224SRa-xxxxxxxx-yyyyyyyy-zzzz
IPC2B24SS-xxxxxxxx-yyyyyyyy-zzzz, IPC2B25SS-xxxxxxxx-
yyyyyyyy-zzzz
("x" can be 0-9, A-Z, a-z or blank, denoting difference in
interface;
"y" can be 0-9, A-Z, a-z or blank, denoting performance
difference;
"z" can be 0-9, A-Z, a-z or blank, denoting target regional;
"a" can be 0-9, A or blank, denoting infrared level;
"-" is optional).

IPC2222ERa-xxxxxxxx-yyyyyyyy-zzzz
IPC2222EBRa-xxxxxxxx-yyyyyyyy-zzzz

Jie Qian

Operation Leader

Jie Qian

This is to certify that the sample(s) of the Product described herein has/have been investigated and found to have been in compliance with the above mentioned Standard(s) issued by the European Committee for Electrotechnical Standardization (CENELEC) in accordance with the UL Type Examination Certificate Program Requirements.

As stated in Article 6 of Directive 2014/35/EU, "When placing their electrical equipment on the market, manufacturers shall ensure that it has been designed and manufactured in accordance with the safety objectives referred to in Article 3 and set out in Annex I" and "Manufacturers shall draw up the technical documentation referred to in Annex III and carry out the conformity assessment procedure referred to in Annex III or have it carried out". This remains the responsibility of the manufacturer and is not covered as part of this certificate.

This certificate and test results obtained apply only to the product sample(s) submitted by the Applicant. UL did not select the sample(s) or determine whether the sample(s) provided were representative of other manufactured products. UL has not established Follow-Up Service or other surveillance of the product. The Applicant/ Manufacturer are solely and fully responsible for any declaration of ongoing conformity of all products to all applicable Standard(s), specifications or requirements. The test results may not be used, in whole or in part, in any other document without UL's prior written approval.

UL-CCIC Company Ltd. Suzhou Branch

No. 2, Chengwan Road, Suzhou Industrial Park, Suzhou 215122, China



UL TYPE EXAMINATION CERTIFICATE

Low Voltage Directive 2014/35/EU

Certificate No. E359706-A6207-4791014606
Page 3/7
Date of Issue 2023-11-27

("x" can be 0-9, A-Z, a-z or blank, denoting difference in interface;
"y" can be 0-9, A-Z, a-z or blank, denoting performance difference;
"z" can be 0-9, A-Z, a-z or blank, denoting target regional;
"a" can be 0-9, A or blank, denoting infrared level;
"-" is optional)

IPC2325EBRa-xxxxxxxx-yyy-yyyy-zzzz
IPC2328SBRa-xxxxxxxx-yyy-yyyy-zzzz
("x" can be 0-9, A-Z, a-z or blank, denoting difference in interface;
"y" can be 0-9, A-Z, a-z or blank, denoting performance difference;
"z" can be 0-9, A-Z, a-z or blank, denoting target regional;
"a" can be 0-9, A or blank, denoting infrared level;
"-" is optional)

IPC2322LBRa-xxxxxxxx-yyy-yyyy-zzzz
IPC2324LBRa-xxxxxxxx-yyy-yyyy-zzzz
IPC2324SBRa-xxxxxxxx-yyy-yyyy-zzzz
IPC2325SBRa-xxxxxxxx-yyy-yyyy-zzzz
("x" can be 0-9, A-Z, a-z or blank, denoting difference in interface;
"y" can be 0-9, A-Z, a-z or blank, denoting performance difference;

Jie Qian

Operation Leader

Jie Qian

This is to certify that the sample(s) of the Product described herein has/have been investigated and found to have been in compliance with the above mentioned Standard(s) issued by the European Committee for Electrotechnical Standardization (CENELEC) in accordance with the UL Type Examination Certificate Program Requirements.

As stated in Article 6 of Directive 2014/35/EU, "When placing their electrical equipment on the market, manufacturers shall ensure that it has been designed and manufactured in accordance with the safety objectives referred to in Article 3 and set out in Annex I" and "Manufacturers shall draw up the technical documentation referred to in Annex III and carry out the conformity assessment procedure referred to in Annex III or have it carried out". This remains the responsibility of the manufacturer and is not covered as part of this certificate.

This certificate and test results obtained apply only to the product sample(s) submitted by the Applicant. UL did not select the sample(s) or determine whether the sample(s) provided were representative of other manufactured products. UL has not established Follow-Up Service or other surveillance of the product. The Applicant/ Manufacturer are solely and fully responsible for any declaration of ongoing conformity of all products to all applicable Standard(s), specifications or requirements. The test results may not be used, in whole or in part, in any other document without UL's prior written approval.

UL-CCIC Company Ltd. Suzhou Branch

No. 2, Chengwan Road, Suzhou Industrial Park, Suzhou 215122, China



UL TYPE EXAMINATION CERTIFICATE

Low Voltage Directive 2014/35/EU

Certificate No. E359706-A6207-4791014606
Page 4/7
Date of Issue 2023-11-27

"z" can be 0-9, A-Z, a-z or blank, denoting target regional;
"a" can be 0-9, A or blank, denoting infrared level;
"-" is optional)

IPC2325LBRa-xxxxxxx-yyyyyyy-zzzz
("x" can be 0-9, A-Z, a-z or blank, denoting difference in interface;
"y" can be 0-9, A-Z, a-z or blank, denoting performance difference;
"z" can be 0-9, A-Z, a-z or blank, denoting target regional;
"a" can be 0-9, A or blank, denoting infrared level;
"-" is optional)

IPC2324SS-xxxxxxx-yyyyyyy-zzzz
IPC2224SS-xxxxxxx-yyyyyyy-zzzz
IPC2224SA-xxxxxxx-yyyyyyy-zzzz
IPC2324SE-xxxxxxx-yyyyyyy-zzzz

("x" can be 0-9, A-Z, a-z or blank, denoting difference in interface;
"y" can be 0-9, A-Z, a-z or blank, denoting performance difference;
"z" can be 0-9, A-Z, a-z or blank, denoting target regional;
"-" is optional)

(2):

Jie Qian

Operation Leader

Jie Qian

This is to certify that the sample(s) of the Product described herein has/have been investigated and found to have been in compliance with the above mentioned Standard(s) issued by the European Committee for Electrotechnical Standardization (CENELEC) in accordance with the UL Type Examination Certificate Program Requirements.

As stated in Article 6 of Directive 2014/35/EU, "When placing their electrical equipment on the market, manufacturers shall ensure that it has been designed and manufactured in accordance with the safety objectives referred to in Article 3 and set out in Annex I" and "Manufacturers shall draw up the technical documentation referred to in Annex III and carry out the conformity assessment procedure referred to in Annex III or have it carried out". This remains the responsibility of the manufacturer and is not covered as part of this certificate.

This certificate and test results obtained apply only to the product sample(s) submitted by the Applicant. UL did not select the sample(s) or determine whether the sample(s) provided were representative of other manufactured products. UL has not established Follow-Up Service or other surveillance of the product. The Applicant/ Manufacturer are solely and fully responsible for any declaration of ongoing conformity of all products to all applicable Standard(s), specifications or requirements. The test results may not be used, in whole or in part, in any other document without UL's prior written approval.

UL-CCIC Company Ltd. Suzhou Branch

No. 2, Chengwan Road, Suzhou Industrial Park, Suzhou 215122, China



UL TYPE EXAMINATION CERTIFICATE

Low Voltage Directive 2014/35/EU

Certificate No. E359706-A6207-4791014606
Page 5/7
Date of Issue 2023-11-27

IPC2C22LRa-xxxPxxxxx-yyyyyyyyy-zzzz
IPC2C22CRa-xxxPxxxxx-yyyyyyyyy-zzzz
IPC2325SB-xxxxxxx-yyyyyyyyy-zzzz
IPC2328SB-xxxxxxx-yyyyyyyyy-zzzz
IPC2322SS-xxxxxxx-yyyyyyyyy-zzzz
IPC2322LB-xxxxxxx-yyyyyyyyy-zzzz
IPC2225SE-xxxxxxx-yyyyyyyyy-zzzz
IPC2322SB-xxxxxxx-yyyyyyyyy-zzzz
IPC2324SB-xxxxxxx-yyyyyyyyy-zzzz
IPC2224SE-xxxxxxx-yyyyyyyyy-zzzz
IPC2322SRa-xxxxxxx-yyyyyyyyy-zzzz
IPC2324LB-xxxxxxx-yyyyyyyyy-zzzz

("x" can be 0-9, A-Z, a-z or blank, denoting difference in interface;

"y" can be 0-9, A-Z, a-z or blank, denoting performance difference;

"z" can be 0-9, A-Z, a-z or blank, denoting target regional;

"a" can be 0-9, A or blank, denoting infrared level;

"-" is optional).

(3):

IPC2C22LRa-xxxxxxx-yyyyyyyyy-zzzz

IPC2C22CRa-xxxxxxx-yyyyyyyyy-zzzz

("x" can be 0-9, A-Z, a-z or blank, denoting difference in interface;

Jie Qian

Operation Leader

Jie Qian

This is to certify that the sample(s) of the Product described herein has/have been investigated and found to have been in compliance with the above mentioned Standard(s) issued by the European Committee for Electrotechnical Standardization (CENELEC) in accordance with the UL Type Examination Certificate Program Requirements.

As stated in Article 6 of Directive 2014/35/EU, "When placing their electrical equipment on the market, manufacturers shall ensure that it has been designed and manufactured in accordance with the safety objectives referred to in Article 3 and set out in Annex I" and "Manufacturers shall draw up the technical documentation referred to in Annex III and carry out the conformity assessment procedure referred to in Annex III or have it carried out". This remains the responsibility of the manufacturer and is not covered as part of this certificate.

This certificate and test results obtained apply only to the product sample(s) submitted by the Applicant. UL did not select the sample(s) or determine whether the sample(s) provided were representative of other manufactured products. UL has not established Follow-Up Service or other surveillance of the product. The Applicant/ Manufacturer are solely and fully responsible for any declaration of ongoing conformity of all products to all applicable Standard(s), specifications or requirements. The test results may not be used, in whole or in part, in any other document without UL's prior written approval.

UL-CCIC Company Ltd. Suzhou Branch

No. 2, Chengwan Road, Suzhou Industrial Park, Suzhou 215122, China



UL TYPE EXAMINATION CERTIFICATE

Low Voltage Directive 2014/35/EU

Certificate No. E359706-A6207-4791014606
Page 6/7
Date of Issue 2023-11-27

"y" can be 0-9, A-Z, a-z or blank, denoting performance difference;
"z" can be 0-9, A-Z, a-z or blank, denoting target regional;
"a" can be 0-9, A or blank, denoting infrared level;
"-" is optional).

(4)

IPC2325LB-xxxxxxx-yyyyyyy-zzzz
IPC2312SB-xxxxxxx-yyyyyyy-zzzz
IPC2314SB-xxxxxxx-yyyyyyy-zzzz
IPC2315SB-xxxxxxx-yyyyyyy-zzzz
IPC2228SE-xxxxxxx-yyyyyyy-zzzz
IPC2225SS-xxxxxxx-yyyyyyy-zzzz
IPC2228SS-xxxxxxx-yyyyyyy-zzzz
IPC2314LE-xxxxxxx-yyyyyyy-zzzz
IPC2222SB-xxxxxxx-yyyyyyy-zzzz
IPC2225SB-xxxxxxx-yyyyyyy-zzzz

("x" can be 0-9, A-Z, a-z or blank, denoting difference in interface;

"y" can be 0-9, A-Z, a-z or blank, denoting performance difference;

"z" can be 0-9, A-Z, a-z or blank, denoting target regional;
"-" is optional).

Ratings (Optional)
(1):12Vdc, 1.0A or POE 48V, 0.3A

Jie Qian

Operation Leader

Jie Qian

This is to certify that the sample(s) of the Product described herein has/have been investigated and found to have been in compliance with the above mentioned Standard(s) issued by the European Committee for Electrotechnical Standardization (CENELEC) in accordance with the UL Type Examination Certificate Program Requirements.

As stated in Article 6 of Directive 2014/35/EU, "When placing their electrical equipment on the market, manufacturers shall ensure that it has been designed and manufactured in accordance with the safety objectives referred to in Article 3 and set out in Annex I" and "Manufacturers shall draw up the technical documentation referred to in Annex III and carry out the conformity assessment procedure referred to in Annex III or have it carried out". This remains the responsibility of the manufacturer and is not covered as part of this certificate.

This certificate and test results obtained apply only to the product sample(s) submitted by the Applicant. UL did not select the sample(s) or determine whether the sample(s) provided were representative of other manufactured products. UL has not established Follow-Up Service or other surveillance of the product. The Applicant/ Manufacturer are solely and fully responsible for any declaration of ongoing conformity of all products to all applicable Standard(s), specifications or requirements. The test results may not be used, in whole or in part, in any other document without UL's prior written approval.

UL-CCIC Company Ltd. Suzhou Branch

No. 2, Chengwan Road, Suzhou Industrial Park, Suzhou 215122, China



UL TYPE EXAMINATION CERTIFICATE

Low Voltage Directive 2014/35/EU

Certificate No.	E359706-A6207-4791014606
Page	7/7
Date of Issue	2023-11-27
	(2):12Vdc, 1.0A or POE 48V, 0.25A
	(3):12Vdc, 1.0A
	(4):12Vdc, 1.0A or POE 48V, 0.25A
Product Sample Tested and found in compliance with Standard(s)	EN 62368-1:2014+A11:2017
Test Report Nos.	E359706-A6207-IT-6
Additional information	N/A

Jie Qian

Operation Leader

Jie Qian

This is to certify that the sample(s) of the Product described herein has/have been investigated and found to have been in compliance with the above mentioned Standard(s) issued by the European Committee for Electrotechnical Standardization (CENELEC) in accordance with the UL Type Examination Certificate Program Requirements.

As stated in Article 6 of Directive 2014/35/EU, "When placing their electrical equipment on the market, manufacturers shall ensure that it has been designed and manufactured in accordance with the safety objectives referred to in Article 3 and set out in Annex I" and "Manufacturers shall draw up the technical documentation referred to in Annex III and carry out the conformity assessment procedure referred to in Annex III or have it carried out". This remains the responsibility of the manufacturer and is not covered as part of this certificate.

This certificate and test results obtained apply only to the product sample(s) submitted by the Applicant. UL did not select the sample(s) or determine whether the sample(s) provided were representative of other manufactured products. UL has not established Follow-Up Service or other surveillance of the product. The Applicant/ Manufacturer are solely and fully responsible for any declaration of ongoing conformity of all products to all applicable Standard(s), specifications or requirements. The test results may not be used, in whole or in part, in any other document without UL's prior written approval.

UL-CCIC Company Ltd. Suzhou Branch

No. 2, Chengwan Road, Suzhou Industrial Park, Suzhou 215122, China

