

# CERTIFICATE OF CONFORMITY

## Low Voltage Directive 2014/35/EU

**Certificate No.** E359706-4790338691-01

**Page** 1

**Date of Issue** 2022-04-29

**Issued to** ZHEJIANG UNIVIEW TECHNOLOGIES CO LTD  
88 JIANGLING RD  
BINJIANG DISTRICT  
HANGZHOU  
ZHEJIANG 310051 CHINA

**Manufacturer** ZHEJIANG UNIVIEW TECHNOLOGIES CO LTD

**Manufacturing site/location** 88 JIANGLING RD  
BINJIANG DISTRICT  
HANGZHOU  
ZHEJIANG 310051 CHINA

**Product Sample Description** IP Camera  
**Designation** (1):IPC2321ERa-xxxxxxx-yyyyyyy-zzz, Additional information see page 2.

**Ratings** (Optional)  
(1):12Vdc, 1.0A or POE 48V, 0.3A, Additional information see page 6.

**Product Sample Tested and found in compliance with** EN 62368-1:2014, EN 62368-1:2014/AC:2015

**Standard(s)**  
**Test Report Nos.** E359706-A6062-IT-12



**Operation Manager**

**Racky Wang**

This is to certify that the sample(s) of the Product described herein has been investigated and found to have been in compliance with the above mentioned harmonized Standard(s) per Article 12 of Directive 2014/35/EU of the European Parliament of the Council of 26 February 2014 on the harmonization of the laws of Member States relating to the making available on the market of electrical equipment designed for use within certain voltage limits, in accordance with the UL Type Examination Certificate Program Requirements.

As stated in Article 6 of Directive 2014/35/EU, "When placing their electrical equipment on the market, manufacturers shall ensure that it has been designed and manufactured in accordance with the safety objectives referred to in Article 3 and set out in Annex I" and "Manufacturers shall draw up the technical documentation referred to in Annex III and carry out the conformity assessment procedure referred to in Annex III or have it carried out". This remains the responsibility of the manufacturer and is not covered as part of this certificate.

This certificate and test results obtained apply only to the product sample(s) submitted by the Applicant. UL did not select the sample(s) or determine whether the sample(s) provided were representative of other manufactured products. UL has not established Follow-Up Service or other surveillance of the product. The Applicant/ Manufacturer are solely and fully responsible for any declaration of ongoing conformity of all products to all applicable Standard(s), specifications or requirements. The test results may not be used, in whole or in part, in any other document without UL's prior written approval.

**UL-CCIC Company Ltd. Suzhou Branch**

**No. 2, Chengwan Road, Suzhou Industrial Park, Suzhou 215122, China**



# CERTIFICATE OF CONFORMITY

## Low Voltage Directive 2014/35/EU

**Certificate No.** E359706-4790338691-01  
**Page** 2  
**Date of Issue** 2022-04-29

### Additional information

Additional models:

(1):

IPC2321ERa-xxxxxxx-yyyyyyy-zzz

IPC2322ERa-xxxxxxx-yyyyyyy-zzz

IPC2321E-xxxxxxx-yyyyyyy-zzz

IPC2322E-xxxxxxx-yyyyyyy-zzz

IPC2321EBRa-xxxxxxx-yyyyyyy-zzz

IPC2322EBRa-xxxxxxx-yyyyyyy-zzz

IPC2324EBRa-xxxxxxx-yyyyyyy-zzz

HIC2301ES-xxxxxxxIRa-yyyyyyy-zzz

HIC2301E-xxxxxxxIRa-yyyyyyy-zzz

HIC2301E-xxxxxxx-yyyyyyy-zzz

HIC2321ES-xxxxxxxIRa-yyyyyyy-zzz

HIC2321E-xxxxxxxIRa-yyyyyyy-zzz

HIC2321E-xxxxxxx-yyyyyyy-zzz

IPC2222SRa-xxxxxxx-yyyyyyy-zzz

IPC2224SRa-xxxxxxx-yyyyyyy-zzz

("x" can be 0-9, A-Z, a-z or blank, denoting difference in interface;

"y" can be 0-9, A-Z, a-z or blank, denoting performance difference;

"z" can be 0-9, A-Z, a-z or blank, denoting target regional;

"a" can be 0-9, A or blank, denoting infrared level;

"-" is optional).

IPC2222ERa-xxxxxxx-yyyyyyy-zzz



**Operation Manager**

**Racky Wang**

This is to certify that the sample(s) of the Product described herein has been investigated and found to have been in compliance with the above mentioned harmonized Standard(s) per Article 12 of Directive 2014/35/EU of the European Parliament of the Council of 26 February 2014 on the harmonization of the laws of Member States relating to the making available on the market of electrical equipment designed for use within certain voltage limits, in accordance with the UL Type Examination Certificate Program Requirements.

As stated in Article 6 of Directive 2014/35/EU, "When placing their electrical equipment on the market, manufacturers shall ensure that it has been designed and manufactured in accordance with the safety objectives referred to in Article 3 and set out in Annex I" and "Manufacturers shall draw up the technical documentation referred to in Annex III and carry out the conformity assessment procedure referred to in Annex III or have it carried out". This remains the responsibility of the manufacturer and is not covered as part of this certificate.

This certificate and test results obtained apply only to the product sample(s) submitted by the Applicant. UL did not select the sample(s) or determine whether the sample(s) provided were representative of other manufactured products. UL has not established Follow-Up Service or other surveillance of the product. The Applicant/ Manufacturer are solely and fully responsible for any declaration of ongoing conformity of all products to all applicable Standard(s), specifications or requirements. The test results may not be used, in whole or in part, in any other document without UL's prior written approval.

**UL-CCIC Company Ltd. Suzhou Branch**

**No. 2, Chengwan Road, Suzhou Industrial Park, Suzhou 215122, China**



# CERTIFICATE OF CONFORMITY

## Low Voltage Directive 2014/35/EU

**Certificate No.** E359706-4790338691-01  
**Page** 3  
**Date of Issue** 2022-04-29

IPC2222EBRa-xxxxxxx-yyyyyyy-zzz

("x" can be 0-9, A-Z, a-z or blank, denoting difference in interface;  
"y" can be 0-9, A-Z, a-z or blank, denoting performance difference;  
"z" can be 0-9, A-Z, a-z or blank, denoting target regional;  
"a" can be 0-9, A or blank, denoting infrared level;  
"-" is optional)

IPC2325EBRa-xxxxxxx-yyyyyyy-zzz

IPC2328SBRa-xxxxxxx-yyyyyyy-zzz

("x" can be 0-9, A-Z, a-z or blank, denoting difference in interface;  
"y" can be 0-9, A-Z, a-z or blank, denoting performance difference;  
"z" can be 0-9, A-Z, a-z or blank, denoting target regional;  
"a" can be 0-9, A or blank, denoting infrared level;  
"-" is optional)

IPC2322LBRa-xxxxxxx-yyyyyyy-zzz

IPC2324LBRa-xxxxxxx-yyyyyyy-zzz

IPC2324SBRa-xxxxxxx-yyyyyyy-zzz

IPC2325SBRa-xxxxxxx-yyyyyyy-zzz

IPC2324LB-xxxxxxx-yyyyyyy-zzz

("x" can be 0-9, A-Z, a-z or blank, denoting difference in interface;  
"y" can be 0-9, A-Z, a-z or blank, denoting performance difference;  
"z" can be 0-9, A-Z, a-z or blank, denoting target regional;  
"a" can be 0-9, A or blank, denoting infrared level;

*Racky Wang*

**Operation Manager**

**Racky Wang**

This is to certify that the sample(s) of the Product described herein has been investigated and found to have been in compliance with the above mentioned harmonized Standard(s) per Article 12 of Directive 2014/35/EU of the European Parliament of the Council of 26 February 2014 on the harmonization of the laws of Member States relating to the making available on the market of electrical equipment designed for use within certain voltage limits, in accordance with the UL Type Examination Certificate Program Requirements.

As stated in Article 6 of Directive 2014/35/EU, "When placing their electrical equipment on the market, manufacturers shall ensure that it has been designed and manufactured in accordance with the safety objectives referred to in Article 3 and set out in Annex I" and "Manufacturers shall draw up the technical documentation referred to in Annex III and carry out the conformity assessment procedure referred to in Annex III or have it carried out". This remains the responsibility of the manufacturer and is not covered as part of this certificate.

This certificate and test results obtained apply only to the product sample(s) submitted by the Applicant. UL did not select the sample(s) or determine whether the sample(s) provided were representative of other manufactured products. UL has not established Follow-Up Service or other surveillance of the product. The Applicant/ Manufacturer are solely and fully responsible for any declaration of ongoing conformity of all products to all applicable Standard(s), specifications or requirements. The test results may not be used, in whole or in part, in any other document without UL's prior written approval.

**UL-CCIC Company Ltd. Suzhou Branch**

**No. 2, Chengwan Road, Suzhou Industrial Park, Suzhou 215122, China**



# CERTIFICATE OF CONFORMITY

## Low Voltage Directive 2014/35/EU

**Certificate No.** E359706-4790338691-01  
**Page** 4  
**Date of Issue** 2022-04-29

"-" is optional)

IPC2325LBRa-xxxxxxx-yyyyyyy-zzz

("x" can be 0-9, A-Z, a-z or blank, denoting difference in interface;

"y" can be 0-9, A-Z, a-z or blank, denoting performance difference;

"z" can be 0-9, A-Z, a-z or blank, denoting target regional;

"a" can be 0-9, A or blank, denoting infrared level;

"-" is optional)

IPC2324SS-xxxxxxx-yyyyyyy-zzz

IPC2224SS-xxxxxxx-yyyyyyy-zzz

IPC2224SA-xxxxxxx-yyyyyyy-zzz

IPC2324SE-xxxxxxx-yyyyyyy-zzz

("x" can be 0-9, A-Z, a-z or blank, denoting difference in interface;

"y" can be 0-9, A-Z, a-z or blank, denoting performance difference;

"z" can be 0-9, A-Z, a-z or blank, denoting target regional;

"-" is optional)

(2):

IPC2C22LRa-xxxPxxxxx-yyyyyyy-zzz

IPC2C22CRa-xxxPxxxxx-yyyyyyy-zzz

IPC2325SB-xxxxxxx-yyyyyyy-zzz

IPC2328SB-xxxxxxx-yyyyyyy-zzz

*Racky Wang*

**Operation Manager**

**Racky Wang**

This is to certify that the sample(s) of the Product described herein has been investigated and found to have been in compliance with the above mentioned harmonized Standard(s) per Article 12 of Directive 2014/35/EU of the European Parliament of the Council of 26 February 2014 on the harmonization of the laws of Member States relating to the making available on the market of electrical equipment designed for use within certain voltage limits, in accordance with the UL Type Examination Certificate Program Requirements.

As stated in Article 6 of Directive 2014/35/EU, "When placing their electrical equipment on the market, manufacturers shall ensure that it has been designed and manufactured in accordance with the safety objectives referred to in Article 3 and set out in Annex I" and "Manufacturers shall draw up the technical documentation referred to in Annex III and carry out the conformity assessment procedure referred to in Annex III or have it carried out". This remains the responsibility of the manufacturer and is not covered as part of this certificate.

This certificate and test results obtained apply only to the product sample(s) submitted by the Applicant. UL did not select the sample(s) or determine whether the sample(s) provided were representative of other manufactured products. UL has not established Follow-Up Service or other surveillance of the product. The Applicant/ Manufacturer are solely and fully responsible for any declaration of ongoing conformity of all products to all applicable Standard(s), specifications or requirements. The test results may not be used, in whole or in part, in any other document without UL's prior written approval.

**UL-CCIC Company Ltd. Suzhou Branch**

**No. 2, Chengwan Road, Suzhou Industrial Park, Suzhou 215122, China**



# CERTIFICATE OF CONFORMITY

## Low Voltage Directive 2014/35/EU

**Certificate No.** E359706-4790338691-01  
**Page** 5  
**Date of Issue** 2022-04-29

IPC2322SS-xxxxxxx-yyyyyyy-zzz  
IPC2322LB-xxxxxxx-yyyyyyy-zzz  
IPC2225SE-xxxxxxx-yyyyyyy-zzz  
IPC2322SB-xxxxxxx-yyyyyyy-zzz  
IPC2324SB-xxxxxxx-yyyyyyy-zzz  
IPC2224SE-xxxxxxx-yyyyyyy-zzz

("x" can be 0-9, A-Z, a-z or blank, denoting difference in interface;  
"y" can be 0-9, A-Z, a-z or blank, denoting performance difference;  
"z" can be 0-9, A-Z, a-z or blank, denoting target regional;  
"a" can be 0-9, A or blank, denoting infrared level;  
"-" is optional).

(3):

IPC2C22LRa-xxxxxxx-yyyyyyy-zzz  
IPC2C22CRa-xxxxxxx-yyyyyyy-zzz

("x" can be 0-9, A-Z, a-z or blank, denoting difference in interface;  
"y" can be 0-9, A-Z, a-z or blank, denoting performance difference;  
"z" can be 0-9, A-Z, a-z or blank, denoting target regional;  
"a" can be 0-9, A or blank, denoting infrared level;  
"-" is optional).

(4)

*Racky Wang*

**Operation Manager**

**Racky Wang**

This is to certify that the sample(s) of the Product described herein has been investigated and found to have been in compliance with the above mentioned harmonized Standard(s) per Article 12 of Directive 2014/35/EU of the European Parliament of the Council of 26 February 2014 on the harmonization of the laws of Member States relating to the making available on the market of electrical equipment designed for use within certain voltage limits, in accordance with the UL Type Examination Certificate Program Requirements.

As stated in Article 6 of Directive 2014/35/EU, "When placing their electrical equipment on the market, manufacturers shall ensure that it has been designed and manufactured in accordance with the safety objectives referred to in Article 3 and set out in Annex I" and "Manufacturers shall draw up the technical documentation referred to in Annex III and carry out the conformity assessment procedure referred to in Annex III or have it carried out". This remains the responsibility of the manufacturer and is not covered as part of this certificate.

This certificate and test results obtained apply only to the product sample(s) submitted by the Applicant. UL did not select the sample(s) or determine whether the sample(s) provided were representative of other manufactured products. UL has not established Follow-Up Service or other surveillance of the product. The Applicant/ Manufacturer are solely and fully responsible for any declaration of ongoing conformity of all products to all applicable Standard(s), specifications or requirements. The test results may not be used, in whole or in part, in any other document without UL's prior written approval.

**UL-CCIC Company Ltd. Suzhou Branch**

**No. 2, Chengwan Road, Suzhou Industrial Park, Suzhou 215122, China**



# CERTIFICATE OF CONFORMITY

## Low Voltage Directive 2014/35/EU

**Certificate No.** E359706-4790338691-01  
**Page** 6  
**Date of Issue** 2022-04-29

IPC2325LB-xxxxxxx-yyyyyyy-zzz  
IPC2312SB-xxxxxxx-yyyyyyy-zzz  
IPC2314SB-xxxxxxx-yyyyyyy-zzz  
IPC2315SB-xxxxxxx-yyyyyyy-zzz  
IPC2228SE-xxxxxxx-yyyyyyy-zzz

("x" can be 0-9, A-Z, a-z or blank, denoting difference in interface;  
"y" can be 0-9, A-Z, a-z or blank, denoting performance difference;  
"z" can be 0-9, A-Z, a-z or blank, denoting target regional;  
"- " is optional).

Additional ratings:  
(Optional)

(1):12Vdc, 1.0A or POE 48V, 0.3A  
(2):12Vdc, 1.0A or POE 48V, 0.25A  
(3):12Vdc, 1.0A  
(4):12Vdc, 1.0A or POE 48V, 0.25A

*Racky Wang*

**Operation Manager**

**Racky Wang**

This is to certify that the sample(s) of the Product described herein has been investigated and found to have been in compliance with the above mentioned harmonized Standard(s) per Article 12 of Directive 2014/35/EU of the European Parliament of the Council of 26 February 2014 on the harmonization of the laws of Member States relating to the making available on the market of electrical equipment designed for use within certain voltage limits, in accordance with the UL Type Examination Certificate Program Requirements.

As stated in Article 6 of Directive 2014/35/EU, "When placing their electrical equipment on the market, manufacturers shall ensure that it has been designed and manufactured in accordance with the safety objectives referred to in Article 3 and set out in Annex I" and "Manufacturers shall draw up the technical documentation referred to in Annex III and carry out the conformity assessment procedure referred to in Annex III or have it carried out". This remains the responsibility of the manufacturer and is not covered as part of this certificate.

This certificate and test results obtained apply only to the product sample(s) submitted by the Applicant. UL did not select the sample(s) or determine whether the sample(s) provided were representative of other manufactured products. UL has not established Follow-Up Service or other surveillance of the product. The Applicant/ Manufacturer are solely and fully responsible for any declaration of ongoing conformity of all products to all applicable Standard(s), specifications or requirements. The test results may not be used, in whole or in part, in any other document without UL's prior written approval.

**UL-CCIC Company Ltd. Suzhou Branch**

**No. 2, Chengwan Road, Suzhou Industrial Park, Suzhou 215122, China**

